



DESCRIPTION AND SIZE	CARTON QUANTITY	Weight Lbs/ M
GR 5 HEX CAP SCREWS, SAE J429, PLN ASME B18.2.1-1996		
1/4-20 X 1/2	4000	11.8
1/4-20 X 5/8	3500	13.1
1/4-20 X 3/4	3000	14.4
1/4-20 X 1	2500	17.4
1/4-20 X 1 1/4	2300	20.8
1/4-20 X 1 1/2	2000	24.3
1/4-20 X 1 3/4	1800	27.7
1/4-20 X 2	1500	31.2
1/4-20 X 2 1/4	1400	34.6
1/4-20 X 2 1/2	1300	38.1
1/4-20 X 2 3/4	1200	41.5
1/4-20 X 3	1000	45.0
1/4-20 X 3 1/4	900	48.4
1/4-20 X 3 1/2	850	51.9
1/4-20 X 4	675	58.8
1/4-20 X 4 1/2	650	65.7
1/4-20 X 5	500	72.6
1/4-20 X 5 1/2	400	79.5
1/4-20 X 6	350	86.4
5/16-18 X 5/8	2000	22.0
5/16-18 X 3/4	2000	24.1
5/16-18 X 1	1500	28.3
5/16-18 X 1 1/4	1200	33.7
5/16-18 X 1 1/2	1200	39.1
5/16-18 X 1 3/4	1000	44.5
5/16-18 X 2	900	49.9
5/16-18 X 2 1/4	800	55.2
5/16-18 X 2 1/2	800	60.6
5/16-18 X 2 3/4	700	66.0
5/16-18 X 3	650	71.4
5/16-18 X 3 1/4	600	76.8
5/16-18 X 3 1/2	600	82.1
5/16-18 X 3 3/4	500	87.5
5/16-18 X 4	500	92.9
5/16-18 X 4 1/2	450	103.7
5/16-18 X 5	400	114.4
5/16-18 X 5 1/2	400	125.2
5/16-18 X 6	350	135.9
3/8-16 X 5/8	1500	32.4
3/8-16 X 3/4	1200	35.5
3/8-16 X 1	1000	41.7
3/8-16 X 1 1/4	900	48.6
3/8-16 X 1 1/2	800	56.4
3/8-16 X 1 3/4	700	64.2
3/8-16 X 2	600	71.9
3/8-16 X 2 1/4	600	79.7
3/8-16 X 2 1/2	500	87.4
3/8-16 X 2 3/4	450	95.2
3/8-16 X 3	450	103.0
3/8-16 X 3 1/4	450	110.7
3/8-16 X 3 1/2	400	118.5

DESCRIPTION AND SIZE	CARTON QUANTITY	Weight Lbs/ M
GR 5 HEX CAP SCREWS, SAE J429, PLN ASME B18.2.1-1996		
3/8-16 X 3 3/4	400	126.2
3/8-16 X 4	350	134.0
3/8-16 X 4 1/2	300	149.5
3/8-16 X 5	250	165.0
3/8-16 X 5 1/2	250	180.6
3/8-16 X 6	250	196.1
7/16-14 X 1	800	59.2
7/16-14 X 1 1/2	600	78.2
7/16-14 X 2	450	99.4
7/16-14 X 2 1/2	400	120.6
7/16-14 X 3	300	141.8
7/16-14 X 3 1/2	250	163.0
7/16-14 X 4	250	184.1
1/2-13 X 1	500	92.2
1/2-13 X 1 1/4	450	103.4
1/2-13 X 1 1/2	400	115.9
1/2-13 X 1 3/4	350	129.7
1/2-13 X 2	350	143.5
1/2-13 X 2 1/4	300	157.3
1/2-13 X 2 1/2	275	171.1
1/2-13 X 2 3/4	250	184.9
1/2-13 X 3	250	198.7
1/2-13 X 3 1/4	200	212.5
1/2-13 X 3 1/2	200	226.3
1/2-13 X 3 3/4	200	240.1
1/2-13 X 4	180	253.9
1/2-13 X 4 1/2	160	281.5
1/2-13 X 5	150	309.1
1/2-13 X 5 1/2	130	336.7
1/2-13 X 6	120	364.3
1/2-13 X 6 1/2	120	386.0
1/2-13 X 7	120	409.0
1/2-13 X 7 1/2	100	435.0
1/2-13 X 8	100	461.0
1/2-13 X 9 1/2	80	557.5
1/2-13 X 10 1/2	80	612.7
1/2-13 X 14	60	805.9
1/2-13 X 16	50	916.3
5/8-11 X 1	300	151.6
5/8-11 X 1 1/4	250	169.3
5/8-11 X 1 1/2	200	187.0
5/8-11 X 1 3/4	200	206.6
5/8-11 X 2	200	228.2
5/8-11 X 2 1/4	160	249.7
5/8-11 X 2 1/2	160	271.3
5/8-11 X 2 3/4	160	292.8
5/8-11 X 3	150	314.4
5/8-11 X 3 1/4	150	335.9
5/8-11 X 3 1/2	120	357.5
5/8-11 X 3 3/4	120	379.0
5/8-11 X 4	120	400.6



DESCRIPTION AND SIZE	CARTON QUANTITY	Weight Lbs/ M
GR 5 HEX CAP SCREWS, SAE J429, PLN ASME B18.2.1-1996		
5/8-11 X 4 1/2	100	443.7
5/8-11 X 5	100	486.8
5/8-11 X 5 1/2	80	529.9
5/8-11 X 6	80	573.0
5/8-11 X 6 1/2	70	616.0
5/8-11 X 8	60	741.0
5/8-11 X 9 1/2	50	874.7
5/8-11 X 10 1/2	50	960.9
5/8-11 X 14	40	1262.6
5/8-11 X 16	35	1435.0
5/8-11 X 18	30	1607.4
3/4-10 X 1 1/2	160	296.6
3/4-10 X 1 3/4	150	322.6
3/4-10 X 2	130	351.2
3/4-10 X 2 1/4	120	382.3
3/4-10 X 2 1/2	110	413.4
3/4-10 X 2 3/4	100	444.5
3/4-10 X 3	90	475.6
3/4-10 X 3 1/4	90	506.7
3/4-10 X 3 1/2	85	537.8
3/4-10 X 3 3/4	80	568.9
3/4-10 X 4	80	600.0
3/4-10 X 4 1/2	70	662.2
3/4-10 X 5	60	724.4
3/4-10 X 5 1/2	60	786.6
3/4-10 X 6	50	848.8
3/4-10 X 6 1/2	50	909.0
3/4-10 X 7	50	969.0
3/4-10 X 7 1/2	40	1030.0
3/4-10 X 8	40	1090.0
3/4-10 X 9 1/2	35	1284.2
3/4-10 X 10 1/2	30	1408.6
3/4-10 X 11	30	1470.8
3/4-10 X 12	30	1595.2
3/4-10 X 14	25	1844.0
3/4-10 X 16	20	2092.8
3/4-10 X 18	20	2341.6
7/8-9 X 2	80	511.0
7/8-9 X 2 1/2	70	592.0

DESCRIPTION AND SIZE	CARTON QUANTITY	Weight Lbs/ M
GR 5 HEX CAP SCREWS, SAE J429, PLN ASME B18.2.1-1996		
7/8-9 X 3	60	677.0
7/8-9 X 3 1/2	50	761.0
7/8-9 X 4	50	846.0
7/8-9 X 4 1/2	45	930.5
7/8-9 X 5	45	1015.0
7/8-9 X 5 1/2	40	1099.5
7/8-9 X 6	40	1184.0
7/8-9 X 7	30	1330.0
7/8-9 X 8	30	1490.0
7/8-9 X 9 1/2	25	1775.6
7/8-9 X 10 1/2	25	1944.6
7/8-9 X 14	16	2536.1
7/8-9 X 16	15	2874.1
7/8-9 X 18	12	3210.0
1-8 X 2	70	701.4
1-8 X 2 1/2	60	799.2
1-8 X 3	50	909.6
1-8 X 3 1/2	40	1020.0
1-8 X 3 1/4	50	964.8
1-8 X 3 3/4	40	1075.2
1-8 X 4	40	1130.4
1-8 X 4 1/2	35	1240.8
1-8 X 5	35	1351.2
1-8 X 5 1/2	30	1461.6
1-8 X 6	30	1572.0
1-8 X 7	25	1770.0
1-8 X 8	20	1990.0
1-8 X 9 1/2	20	2345.5
1-8 X 10 1/2	15	2566.5
1-8 X 14	12	3340.0
1-8 X 16	12	3782.0
1-8 X 18	10	4224.0
1 1/8-7 X 9	13	2874.0
1 1/8-7 X 14	10	4274.0
1 1/8-7 X 16	8	4834.0
1 1/8-7 X 18	6	5394.0
1 1/4-7 X 9	12	3619.0
1 1/4-7 X 14	8	5349.0
1 1/4-7 X 16	8	6041.0
1 1/4-7 X 18	6	6733.0



DESCRIPTION AND SIZE	CARTON QUANTITY	Weight Lbs/ M
GR 5 HEX CAP SCREWS, SAE J429, ZP ASME B18.2.1-1996		
1/4-20 X 3/8	4000	10.6
1/4-20 X 1/2	4000	11.8
1/4-20 X 5/8	3500	13.1
1/4-20 X 3/4	3000	14.4
1/4-20 X 7/8	3000	15.7
1/4-20 X 1	2500	17.4
1/4-20 X 1 1/4	2300	20.8
1/4-20 X 1 1/2	2000	24.3
1/4-20 X 1 3/4	1800	27.7
1/4-20 X 2	1500	31.2
1/4-20 X 2 1/4	1400	34.6
1/4-20 X 2 1/2	1300	38.1
1/4-20 X 2 3/4	1200	41.5
1/4-20 X 3	1000	45.0
1/4-20 X 3 1/4	900	48.4
1/4-20 X 3 1/2	850	51.9
1/4-20 X 3 3/4	750	55.3
1/4-20 X 4	675	58.8
1/4-20 X 4 1/2	650	62.3
1/4-20 X 5	500	72.6
1/4-20 X 5 1/2	400	79.5
1/4-20 X 6	350	86.4
5/16-18 X 3/8	2500	18.0
5/16-18 X 1/2	2500	19.9
5/16-18 X 5/8	2000	22.0
5/16-18 X 3/4	2000	24.1
5/16-18 X 7/8	1800	26.2
5/16-18 X 1	1500	28.3
5/16-18 X 1 1/4	1200	33.7
5/16-18 X 1 3/8	1200	30.5
5/16-18 X 1 1/2	1200	39.1
5/16-18 X 1 3/4	1000	44.5
5/16-18 X 2	900	49.9
5/16-18 X 2 1/4	800	55.2
5/16-18 X 2 1/2	800	60.6
5/16-18 X 2 3/4	700	66.0
5/16-18 X 3	650	71.4
5/16-18 X 3 1/4	600	76.8
5/16-18 X 3 1/2	600	82.1
5/16-18 X 3 3/4	500	87.5
5/16-18 X 4	500	92.9
5/16-18 X 4 1/4	450	97.0
5/16-18 X 4 1/2	450	103.7
5/16-18 X 5	400	114.4
5/16-18 X 5 1/2	400	125.2
5/16-18 X 6	350	135.9
3/8-16 X 1/2	1500	29.3

DESCRIPTION AND SIZE	CARTON QUANTITY	Weight Lbs/ M
GR 5 HEX CAP SCREWS, SAE J429, ZP ASME B18.2.1-1996		
3/8-16 X 7/8	1200	38.6
3/8-16 X 1	1000	41.7
3/8-16 X 1 1/8	1000	43.5
3/8-16 X 1 1/4	900	48.6
3/8-16 X 1 3/8	800	50.0
3/8-16 X 1 1/2	800	56.4
3/8-16 X 1 5/8	700	60.3
3/8-16 X 1 3/4	700	64.2
3/8-16 X 2	600	71.9
3/8-16 X 2 1/4	600	79.7
3/8-16 X 2 1/2	500	87.4
3/8-16 X 2 3/4	450	95.2
3/8-16 X 3	450	103.0
3/8-16 X 3 1/4	450	110.7
3/8-16 X 3 1/2	400	118.5
3/8-16 X 3 3/4	400	126.2
3/8-16 X 4	350	134.0
3/8-16 X 4 1/4	300	140.0
3/8-16 X 4 1/2	300	149.5
3/8-16 X 4 3/4	280	153.3
3/8-16 X 5	250	165.0
3/8-16 X 5 1/4	250	170.0
3/8-16 X 5 1/2	250	180.6
3/8-16 X 5 3/4	250	186.7
3/8-16 X 6	250	196.1
3/8-16 X 6 1/2	220	209.0
3/8-16 X 7	220	225.0
3/8-16 X 7 1/2	200	240.0
3/8-16 X 8	180	255.0
7/16-14 X 3/4	900	50.8
7/16-14 X 1	800	59.2
7/16-14 X 1 1/8	700	60.0
7/16-14 X 1 1/4	700	67.6
7/16-14 X 1 1/2	600	78.2
7/16-14 X 1 3/4	500	87.7
7/16-14 X 2	450	99.4
7/16-14 X 2 1/4	400	110.0
7/16-14 X 2 1/2	400	120.6
7/16-14 X 2 3/4	350	131.2
7/16-14 X 3	300	141.8
7/16-14 X 3 1/4	250	152.4
7/16-14 X 3 1/2	250	163.0
7/16-14 X 3 3/4	250	173.6
7/16-14 X 4	250	184.1
7/16-14 X 4 1/2	200	205.3
7/16-14 X 5	200	226.5
7/16-14 X 5 1/2	200	247.7



DESCRIPTION AND SIZE	CARTON QUANTITY	Weight Lbs/ M
GR 5 HEX CAP SCREWS, SAE J429, ZP ASME B18.2.1-1996		
7/16-14 X 6	150	268.9
7/16-14 X 6 1/2	150	281.0
7/16-14 X 7	140	297.1
7/16-14 X 7 1/2	140	323.0
7/16-14 X 8	120	343.0
1/2-13 X 3/4	500	72.1
1/2-13 X 1	500	92.2
1/2-13 X 1 1/4	450	103.4
1/2-13 X 1 3/8	400	100.0
1/2-13 X 1 1/2	400	115.9
1/2-13 X 1 3/4	350	129.7
1/2-13 X 2	350	143.5
1/2-13 X 2 1/4	300	157.3
1/2-13 X 2 1/2	275	171.1
1/2-13 X 2 3/4	250	184.9
1/2-13 X 3	250	198.7
1/2-13 X 3 1/4	200	212.5
1/2-13 X 3 1/2	200	226.3
1/2-13 X 3 3/4	200	240.1
1/2-13 X 4	180	253.9
1/2-13 X 4 1/2	160	281.5
1/2-13 X 4 3/4	150	282.5
1/2-13 X 5	150	309.1
1/2-13 X 5 1/4	130	320.0
1/2-13 X 5 1/2	130	336.7
1/2-13 X 5 3/4	120	350.5
1/2-13 X 6	120	364.3
1/2-13 X 6 1/2	120	386.0
1/2-13 X 7	120	409.0
1/2-13 X 7 1/2	100	435.0
1/2-13 X 8	100	461.0
1/2-13 X 9	80	515.0
1/2-13 X 10	80	542.0
1/2-13 X 12	70	676.0
1/2-13 X 9 1/2	80	557.5
1/2-13 X 10 1/2	80	612.7
1/2-13 X 11	70	640.3
1/2-13 X 14	60	805.9
1/2-13 X 16	50	916.3
5/8-11 X 1	300	151.6
5/8-11 X 1 1/4	250	169.3
5/8-11 X 1 1/2	200	187.0
5/8-11 X 1 3/4	200	206.6
5/8-11 X 2	200	228.2
5/8-11 X 2 1/4	160	249.7
5/8-11 X 2 1/2	160	271.3
5/8-11 X 2 3/4	160	292.8
5/8-11 X 3	150	314.4
5/8-11 X 3 1/4	150	335.9
5/8-11 X 3 1/2	120	357.5
5/8-11 X 3 3/4	120	379.0
5/8-11 X 4	120	400.6
5/8-11 X 4 1/4	100	420.0

DESCRIPTION AND SIZE	CARTON QUANTITY	Weight Lbs/ M
GR 5 HEX CAP SCREWS, SAE J429, ZP ASME B18.2.1-1996		
5/8-11 X 4 1/2	100	443.7
5/8-11 X 4 3/4	100	456.0
5/8-11 X 5	100	486.8
5/8-11 X 5 1/4	80	507.0
5/8-11 X 5 1/2	80	529.9
5/8-11 X 5 3/4	80	549.0
5/8-11 X 6	80	573.0
5/8-11 X 6 1/2	70	616.0
5/8-11 X 7	70	658.0
5/8-11 X 7 1/2	60	700.0
5/8-11 X 8	60	741.0
5/8-11 X 9	60	825.6
5/8-11 X 10	50	909.8
5/8-11 X 12	40	1072.1
5/8-11 X 9 1/2	50	874.7
5/8-11 X 10 1/2	50	960.9
5/8-11 X 11	50	1004.0
5/8-11 X 14	40	1262.6
5/8-11 X 16	35	1435.0
5/8-11 X 18	30	1607.4
3/4-10 X 1	200	242.5
3/4-10 X 1 1/2	160	296.6
3/4-10 X 1 3/4	150	322.6
3/4-10 X 2	130	351.2
3/4-10 X 2 1/4	120	382.3
3/4-10 X 2 1/2	110	413.4
3/4-10 X 2 3/4	100	444.5
3/4-10 X 3	90	475.6
3/4-10 X 3 1/4	90	506.7
3/4-10 X 3 1/2	85	537.8
3/4-10 X 3 3/4	80	568.9
3/4-10 X 4	80	600.0
3/4-10 X 4 1/4	70	625.0
3/4-10 X 4 1/2	70	662.2
3/4-10 X 4 3/4	60	677.0
3/4-10 X 5	60	724.4
3/4-10 X 5 1/2	60	786.6
3/4-10 X 6	50	848.8
3/4-10 X 6 1/2	50	909.0
3/4-10 X 7	50	969.0
3/4-10 X 7 1/2	40	1030.0
3/4-10 X 8	40	1090.0
3/4-10 X 8 1/2	40	1150.0
3/4-10 X 9	40	1212.5
3/4-10 X 10	35	1332.7
3/4-10 X 12	30	1582.9
3/4-10 X 9 1/2	35	1284.2
3/4-10 X 10 1/2	30	1408.6
3/4-10 X 11	30	1470.8
3/4-10 X 14	25	1844.0
3/4-10 X 16	20	2092.8
3/4-10 X 18	20	2341.6



DESCRIPTION AND SIZE	CARTON QUANTITY	Weight Lbs/ M
GR 5 HEX CAP SCREWS, SAE J429, ZP ASME B18.2.1-1996		
7/8-9 X 1 1/2	100	429.9
7/8-9 X 1 3/4	100	469.5
7/8-9 X 2	80	511.0
7/8-9 X 2 1/4	80	549.6
7/8-9 X 2 1/2	70	592.0
7/8-9 X 2 3/4	60	634.2
7/8-9 X 3	60	677.0
7/8-9 X 3 1/4	60	718.8
7/8-9 X 3 1/2	50	761.0
7/8-9 X 3 3/4	50	803.4
7/8-9 X 4	50	846.0
7/8-9 X 4 1/4	50	888.0
7/8-9 X 4 1/2	45	930.5
7/8-9 X 4 3/4	45	960.0
7/8-9 X 5	45	1015.0
7/8-9 X 5 1/2	40	1099.5
7/8-9 X 6	40	1184.0
7/8-9 X 6 1/2	40	1250.0
7/8-9 X 7	30	1330.0
7/8-9 X 8	30	1490.0
7/8-9 X 9	30	1660.0
7/8-9 X 9 1/2	25	1775.6
7/8-9 X 10	25	1820.0
7/8-9 X 10 1/2	25	1944.6
7/8-9 X 11	20	2029.1
7/8-9 X 12	20	2174.4
7/8-9 X 14	16	2536.1
7/8-9 X 16	15	2874.1
7/8-9 X 18	12	3210.0
1-8 X 1 1/2	80	608.0
1-8 X 1 3/4	70	655.0
1-8 X 2	70	701.4
1-8 X 2 1/4	60	748.2
1-8 X 2 1/2	60	799.2
1-8 X 2 3/4	50	854.4

DESCRIPTION AND SIZE	CARTON QUANTITY	Weight Lbs/ M
GR 5 HEX CAP SCREWS, SAE J429, ZP ASME B18.2.1-1996		
1-8 X 3	50	909.6
1-8 X 3 1/4	50	964.8
1-8 X 3 1/2	40	1020.0
1-8 X 3 3/4	40	1075.2
1-8 X 4	40	1130.4
1-8 X 4 1/4	35	1186.0
1-8 X 4 1/2	35	1240.8
1-8 X 4 3/4	35	1296.0
1-8 X 5	35	1351.2
1-8 X 5 1/4	30	1380.0
1-8 X 5 1/2	30	1461.6
1-8 X 5 3/4	30	1572.0
1-8 X 6	30	1572.0
1-8 X 6 1/2	25	1670.0
1-8 X 7	25	1770.0
1-8 X 7 1/2	25	2020.0
1-8 X 8	20	1990.0
1-8 X 8 1/2	20	2130.0
1-8 X 9	20	2200.0
1-8 X 9 1/2	20	2234.6
1-8 X 10	20	2420.0
1-8 X 10 1/2	15	2566.5
1-8 X 11	15	2665.4
1-8 X 12	15	2885.8
1-8 X 14	12	3340.0
1-8 X 16	12	3782.0
1-8 X 18	10	4224.0
1 1/8-7 X 3	30	1195.3
1 1/8-7 X 3 1/4	30	1260.0
1 1/8-7 X 3 1/2	30	1335.8
1 1/8-7 X 3 3/4	30	1403.0
1 1/8-7 X 4	25	1476.0
1 1/8-7 X 4 1/2	24	1616.2
1 1/8-7 X 5	22	1757.5
1 1/8-7 X 5 1/2	20	1894.0



DESCRIPTION AND SIZE	CARTON QUANTITY	Weight Lbs/ M
GR 5 HEX CAP SCREWS, SAE J429, ZP, FINE THRD, ASME B18.2.1-1996		
1/4-28 X 1/2	4000	11.9
1/4-28 X 5/8	3500	13.5
1/4-28 X 3/4	3000	15.1
1/4-28 X 1	2500	17.8
1/4-28 X 1 1/2	1800	25.2
1/4-28 X 2	1500	31.7
1/4-28 X 2 1/4	1400	35.4
1/4-28 X 3	1000	45.6
1/4-28 X 3 1/2	850	54.0
5/16-24 X 3/4	1800	24.5
5/16-24 X 1	1500	29.1
5/16-24 X 1 1/4	1200	34.9
5/16-24 X 1 1/2	1200	40.3
5/16-24 X 1 3/4	1000	44.1
5/16-24 X 2	900	51.0
5/16-24 X 2 1/4	800	55.2
5/16-24 X 2 1/2	800	61.2
5/16-24 X 2 3/4	700	66.7
5/16-24 X 3	650	72.0
5/16-24 X 3 1/4	600	76.8
5/16-24 X 4 1/2	450	104.0
3/8-24 X 1/2	1500	29.5
3/8-24 X 3/4	1200	37.1
3/8-24 X 1	1000	43.8
3/8-24 X 1 1/4	900	48.6
3/8-24 X 1 1/2	800	58.3
3/8-24 X 1 3/4	700	64.3
3/8-24 X 2	600	73.8
3/8-24 X 2 1/4	600	80.6
3/8-24 X 2 1/2	500	89.3
3/8-24 X 2 3/4	450	96.1
3/8-24 X 3	450	104.8
3/8-24 X 3 1/4	400	111.8
3/8-24 X 4	350	135.6
3/8-24 X 5	250	167.4
3/8-24 X 6	200	199.2
7/16-20 X 1	800	58.5
7/16-20 X 1 1/2	600	79.4
7/16-20 X 1 3/4	500	91.3
7/16-20 X 2	450	100.2
7/16-20 X 2 1/2	400	123.3
7/16-20 X 2 3/4	350	139.2
7/16-20 X 3	300	143.3
7/16-20 X 3 1/2	250	165.3
7/16-20 X 4	250	189.9

DESCRIPTION AND SIZE	CARTON QUANTITY	Weight Lbs/ M
GR 5 HEX CAP SCREWS, SAE J429, ZP, FINE THRD, ASME B18.2.1-1996		
1/2-20 X 3/4	500	75.0
1/2-20 X 1	500	86.6
1/2-20 X 1 1/4	450	98.1
1/2-20 X 1 1/2	400	121.0
1/2-20 X 1 3/4	350	126.1
1/2-20 X 2	350	139.4
1/2-20 X 2 1/4	300	146.7
1/2-20 X 2 1/2	275	165.7
1/2-20 X 2 3/4	250	180.6
1/2-20 X 3	250	195.3
1/2-20 X 3 1/4	200	208.9
1/2-20 X 3 1/2	200	224.0
1/2-20 X 5 1/2	130	336.4
1/2-20 X 6	120	363.9
5/8-18 X 1 1/4	250	173.8
5/8-18 X 1 1/2	200	188.4
5/8-18 X 1 3/4	200	206.7
5/8-18 X 2	200	233.4
5/8-18 X 2 1/4	160	255.8
5/8-18 X 2 1/2	160	278.2
5/8-18 X 2 3/4	160	299.2
5/8-18 X 3	150	320.1
5/8-18 X 3 1/2	120	366.0
5/8-18 X 4	120	410.4
5/8-18 X 4 1/2	100	454.2
5/8-18 X 5	80	502.3
5/8-18 X 5 1/2	80	544.9
5/8-18 X 6	80	591.5
3/4-16 X 1 1/2	160	305.0
3/4-16 X 2	130	369.2
3/4-16 X 2 1/4	120	396.5
3/4-16 X 2 1/2	110	428.2
3/4-16 X 2 3/4	100	458.7
3/4-16 X 3	90	496.5
3/4-16 X 3 1/2	85	549.8
3/4-16 X 3 3/4	80	583.1
3/4-16 X 4	80	613.4
3/4-16 X 5	60	738.6
3/4-16 X 6	50	863.0
3/4-16 X 7	50	978.0
7/8-14 X 1 1/2	100	442.9
7/8-14 X 2 1/2	70	615.7
7/8-14 X 2 3/4	60	654.6
7/8-14 X 3 3/4	50	823.8
7/8-14 X 4	50	866.1
1-14 X 2 1/2	50	839.7
1 1/8-12 X 3	30	1193.0
1 1/8-12 X 3 1/2	30	1380.0