



**XL SCREW CORPORATION**

DESCRIPTION AND SIZE	CARTON QUANTITY	Weight Lbs/ M
<b>GR 8 HEX CAP SCREWS, SAE J429, PLN ASME B18.2.1-1996</b>		
1/4-20 X 1/2	4000	11.9
1/4-20 X 5/8	3500	13.0
1/4-20 X 3/4	3000	14.4
1/4-20 X 1	2500	17.3
1/4-20 X 1 1/4	2300	20.8
1/4-20 X 1 1/2	2000	24.0
1/4-20 X 2	1500	30.9
1/4-20 X 2 1/2	1300	37.5
1/4-20 X 3	1000	44.3
1/4-20 X 3 1/2	850	51.4
1/4-20 X 4	675	58.4
5/16-18 X 3/4	2000	23.8
5/16-18 X 1	1500	28.2
5/16-18 X 1 1/4	1200	33.1
5/16-18 X 1 1/2	1200	38.4
5/16-18 X 1 3/4	1000	43.7
5/16-18 X 2	900	49.0
5/16-18 X 2 1/2	800	59.5
5/16-18 X 3	650	69.9
3/8-16 X 3/4	1200	35.5
3/8-16 X 1	1000	41.7
3/8-16 X 1 1/4	900	48.6
3/8-16 X 1 1/2	800	56.4
3/8-16 X 1 3/4	700	64.2
3/8-16 X 2	600	71.9
3/8-16 X 2 1/4	600	79.7
3/8-16 X 2 1/2	500	87.4
3/8-16 X 2 3/4	450	95.2
3/8-16 X 3	450	100.8
3/8-16 X 3 1/2	400	116.4
3/8-16 X 4	350	131.6
3/8-16 X 4 1/2	300	147.0
3/8-16 X 5	250	162.5
3/8-16 X 5 1/2	250	177.9
3/8-16 X 6	250	193.3
1/2-13 X 3/4	500	72.1
1/2-13 X 1	500	83.3
1/2-13 X 1 1/4	450	94.4
1/2-13 X 1 1/2	400	106.9
1/2-13 X 1 3/4	350	121.3
1/2-13 X 2	350	134.0
1/2-13 X 2 1/4	300	146.7
1/2-13 X 2 1/2	275	159.4
1/2-13 X 2 3/4	250	173.6
1/2-13 X 3	250	187.8
1/2-13 X 3 1/4	200	200.8
1/2-13 X 3 1/2	200	215.4
1/2-13 X 4	180	241.6
1/2-13 X 4 1/2	160	269.4

DESCRIPTION AND SIZE	CARTON QUANTITY	Weight Lbs/ M
<b>GR 8 HEX CAP SCREWS, SAE J429, PLN ASME B18.2.1-1996</b>		
1/2-13 X 5	150	296.5
1/2-13 X 5 1/2	130	323.4
1/2-13 X 6	120	349.9
5/8-11 X 1 1/4	250	164.7
5/8-11 X 1 1/2	200	181.4
5/8-11 X 1 3/4	200	201.1
5/8-11 X 2	200	222.2
5/8-11 X 2 1/4	160	243.6
5/8-11 X 2 1/2	160	265.0
5/8-11 X 2 3/4	160	284.9
5/8-11 X 3	150	304.9
5/8-11 X 3 1/2	120	348.5
5/8-11 X 4	120	390.9
5/8-11 X 4 1/2	100	432.5
5/8-11 X 5	100	478.4
5/8-11 X 5 1/2	80	518.9
5/8-11 X 6	80	563.5
5/8-11 X 7	60	641.5
5/8-11 X 8	60	738.5
3/4-10 X 1 1/2	160	293.2
3/4-10 X 1 3/4	160	293.2
3/4-10 X 2	130	349.4
3/4-10 X 2 1/4	120	379.7
3/4-10 X 2 1/2	110	407.9
3/4-10 X 2 3/4	100	440.4
3/4-10 X 3	90	472.8
3/4-10 X 3 1/4	90	498.2
3/4-10 X 3 1/2	85	523.5
3/4-10 X 4	80	584.2
3/4-10 X 4 1/2	70	639.5
3/4-10 X 5	60	703.7
3/4-10 X 5 1/2	60	768.3
3/4-10 X 6	50	839.9
3/4-10 X 7	40	943.5
3/4-10 X 8	40	1090.0
3/4-10 X 9	40	1212.5
3/4-10 X 10	35	1332.6
3/4-10 X 12	30	1452.8
3/4-10 X 13	30	1572.9
3/4-10 X 14	25	1693.1
7/8-9 X 2	80	507.1
7/8-9 X 2 1/2	70	586.4
7/8-9 X 3	60	665.7
7/8-9 X 3 1/2	50	761.0
7/8-9 X 4	50	820.1
7/8-9 X 4 1/2	45	908.3
7/8-9 X 5	45	985.4
7/8-9 X 5 1/2	40	1062.6
7/8-9 X 6	40	1148.6





DESCRIPTION AND SIZE	CARTON QUANTITY	Weight Lbs/ M
<b>GR 8 HEX CAP SCREWS, SAE J429, ZYD ASME B18.2.1-1996</b>		
1/4-20 X 1/2	4000	11.9
1/4-20 X 5/8	3500	13.0
1/4-20 X 3/4	3000	14.4
1/4-20 X 7/8	3000	15.7
1/4-20 X 1	2500	17.4
1/4-20 X 1 1/4	2300	20.7
1/4-20 X 1 3/8	2000	22.1
1/4-20 X 1 1/2	2000	24.0
1/4-20 X 1 3/4	1800	27.2
1/4-20 X 2	1500	30.8
1/4-20 X 2 1/4	1400	34.6
1/4-20 X 2 1/2	1300	37.4
1/4-20 X 2 3/4	1200	41.5
1/4-20 X 3	1000	44.3
1/4-20 X 3 1/4	900	48.4
1/4-20 X 3 1/2	850	51.3
1/4-20 X 3 3/4	750	55.3
1/4-20 X 4	675	58.4
1/4-20 X 4 1/2	650	62.3
1/4-20 X 5	500	72.5
5/16-18 X 1/2	2500	19.9
5/16-18 X 5/8	2000	22.0
5/16-18 X 3/4	2000	23.8
5/16-18 X 7/8	1800	26.2
5/16-18 X 1	1500	28.2
5/16-18 X 1 1/4	1200	33.0
5/16-18 X 1 1/2	1200	38.4
5/16-18 X 1 3/4	1000	43.7
5/16-18 X 2	900	49.0
5/16-18 X 2 1/4	800	55.2
5/16-18 X 2 1/2	800	59.5
5/16-18 X 2 3/4	700	66.0
5/16-18 X 3	650	69.8
5/16-18 X 3 1/4	600	76.8
5/16-18 X 3 1/2	600	82.1
5/16-18 X 3 3/4	500	87.5
5/16-18 X 4 1/4	450	97.0
5/16-18 X 4 1/2	450	103.7
5/16-18 X 6	350	135.9
3/8-16 X 1/2	1500	29.3
3/8-16 X 5/8	1500	32.4
3/8-16 X 3/4	1200	34.0
3/8-16 X 7/8	1200	38.6
3/8-16 X 1	1000	41.2
3/8-16 X 1 1/4	900	47.4
3/8-16 X 1 3/8	800	50.0
3/8-16 X 1 1/2	800	55.1
3/8-16 X 1 3/4	700	62.3
3/8-16 X 2	600	70.6
3/8-16 X 2 1/4	600	78.3
3/8-16 X 2 1/2	500	85.9
3/8-16 X 2 3/4	450	93.3

DESCRIPTION AND SIZE	CARTON QUANTITY	Weight Lbs/ M
<b>GR 8 HEX CAP SCREWS, SAE J429, ZYD ASME B18.2.1-1996</b>		
3/8-16 X 3	450	100.7
3/8-16 X 3 1/4	450	110.7
3/8-16 X 3 1/2	400	116.4
3/8-16 X 3 3/4	400	126.2
3/8-16 X 4	350	131.6
3/8-16 X 4 1/4	300	140.0
3/8-16 X 4 1/2	300	147.0
3/8-16 X 4 3/4	280	153.3
3/8-16 X 5	250	162.4
3/8-16 X 5 1/4	250	170.0
3/8-16 X 5 1/2	250	177.9
3/8-16 X 5 3/4	250	186.7
3/8-16 X 6	250	193.3
3/8-16 X 6 1/2	220	209.0
3/8-16 X 7	220	225.0
3/8-16 X 7 1/2	200	240.0
3/8-16 X 8	180	255.0
7/16-14 X 1/2	1000	42.0
7/16-14 X 3/4	900	50.8
7/16-14 X 7/8	800	55.0
7/16-14 X 1	800	59.2
7/16-14 X 1 1/4	700	67.6
7/16-14 X 1 1/2	600	78.2
7/16-14 X 1 3/4	500	87.7
7/16-14 X 2	450	99.4
7/16-14 X 2 1/4	400	110.0
7/16-14 X 2 1/2	400	120.6
7/16-14 X 2 3/4	350	131.2
7/16-14 X 3	300	141.8
7/16-14 X 3 1/4	300	152.4
7/16-14 X 3 1/2	250	163.0
7/16-14 X 3 3/4	250	173.6
7/16-14 X 4	250	184.1
7/16-14 X 4 1/2	200	205.3
7/16-14 X 5	200	226.5
7/16-14 X 5 1/2	200	247.7
7/16-14 X 6	150	268.9
7/16-14 X 6 1/2	150	281.0
7/16-14 X 7	140	297.1
1/2-13 X 3/4	500	72.0
1/2-13 X 7/8	500	77.3
1/2-13 X 1	500	83.3
1/2-13 X 1 1/4	450	94.3
1/2-13 X 1 3/8	400	100.0
1/2-13 X 1 1/2	400	106.9
1/2-13 X 1 3/4	350	121.2
1/2-13 X 2	350	134.0
1/2-13 X 2 1/4	300	146.7
1/2-13 X 2 1/2	275	159.3
1/2-13 X 2 3/4	250	173.6
1/2-13 X 3	250	187.8
1/2-13 X 3 1/4	200	200.8



DESCRIPTION AND SIZE	CARTON QUANTITY	Weight Lbs/ M
<b>GR 8 HEX CAP SCREWS, SAE J429, ZYD ASME B18.2.1-1996</b>		
1/2-13 X 3 1/2	200	215.3
1/2-13 X 3 3/4	200	240.1
1/2-13 X 4	180	241.6
1/2-13 X 4 1/4	180	257.1
1/2-13 X 4 1/2	160	269.4
1/2-13 X 4 3/4	150	282.5
1/2-13 X 5	150	296.5
1/2-13 X 5 1/4	130	320.0
1/2-13 X 5 1/2	130	323.4
1/2-13 X 5 3/4	120	350.5
1/2-13 X 6	120	349.8
1/2-13 X 7	120	404.0
1/2-13 X 8	100	454.1
1/2-13 X 12	70	676.0
9/16-12 X 4	120	316.5
9/16-12 X 4 1/2	100	352.1
9/16-12 X 5	90	386.5
5/8-11 X 1 1/4	250	164.6
5/8-11 X 1 1/2	200	181.4
5/8-11 X 1 3/4	200	206.6
5/8-11 X 2	200	222.2
5/8-11 X 2 1/4	160	243.6
5/8-11 X 2 1/2	160	264.9
5/8-11 X 2 3/4	160	284.9
5/8-11 X 3	150	304.9
5/8-11 X 3 1/4	150	335.9
5/8-11 X 3 1/2	120	348.5
5/8-11 X 3 3/4	120	369.7
5/8-11 X 4	120	390.8
5/8-11 X 4 1/2	100	432.5
5/8-11 X 5	100	478.4
5/8-11 X 5 1/2	80	518.9
5/8-11 X 6	80	563.5
5/8-11 X 6 1/2	70	616.0
5/8-11 X 7	60	645.0
5/8-11 X 8	60	738.5
5/8-11 X 8 1/2	60	783.0
5/8-11 X 9	60	825.6
5/8-11 X 10	50	909.8
5/8-11 X 11	50	993.0
5/8-11 X 12	40	1072.1
3/4-10 X 1	200	242.5
3/4-10 X 1 1/4	180	275.6
3/4-10 X 1 1/2	160	293.2
3/4-10 X 1 3/4	150	316.6
3/4-10 X 2	130	349.4
3/4-10 X 2 1/4	120	379.7
3/4-10 X 2 1/2	110	413.4
3/4-10 X 2 3/4	100	440.3
3/4-10 X 3	90	472.8
3/4-10 X 3 1/4	90	498.2
3/4-10 X 3 1/2	85	523.5
3/4-10 X 4	80	584.2

DESCRIPTION AND SIZE	CARTON QUANTITY	Weight Lbs/ M
<b>GR 8 HEX CAP SCREWS, SAE J429, ZYD ASME B18.2.1-1996</b>		
3/4-10 X 4 1/2	70	639.5
3/4-10 X 5	60	724.4
3/4-10 X 5 1/2	60	768.3
3/4-10 X 6	50	839.9
3/4-10 X 6 1/2	50	888.4
3/4-10 X 7	40	943.5
3/4-10 X 7 1/2	40	1030.0
3/4-10 X 8	40	1090.0
3/4-10 X 8 1/2	40	1150.0
3/4-10 X 9	40	1212.5
3/4-10 X 9 1/2	35	1270.0
3/4-10 X 10	35	1332.7
3/4-10 X 11	30	1452.8
3/4-10 X 12	30	1582.9
7/8-9 X 1 1/2	100	429.9
7/8-9 X 2	80	511.0
7/8-9 X 2 1/2	70	592.0
7/8-9 X 2 3/4	60	634.2
7/8-9 X 3	60	665.7
7/8-9 X 3 1/2	50	761.0
7/8-9 X 4	50	820.1
7/8-9 X 4 1/2	45	908.3
7/8-9 X 5	45	985.4
7/8-9 X 6	40	1148.6
7/8-9 X 6 1/2	40	1250.0
7/8-9 X 7	30	1330.0
7/8-9 X 7 1/2	30	1430.0
7/8-9 X 8	30	1490.0
7/8-9 X 8 1/2	30	1575.0
7/8-9 X 9	30	1660.0
7/8-9 X 9 1/2	25	1734.0
7/8-9 X 10	25	1820.0
7/8-9 X 11	20	2014.1
1-8 X 3	50	881.8
1-8 X 3 1/2	40	1003.0
1-8 X 4	40	1102.3
1-8 X 4 1/2	35	1212.5
1-8 X 5	35	1313.9
1-8 X 5 1/2	30	1435.1
1-8 X 6	30	1545.4
1-8 X 6 1/2	25	1670.0
1-8 X 7	25	1741.6
1-8 X 7 1/2	25	2020.0
1-8 X 8	20	1990.7
1-8 X 8 1/2	20	2130.0
1-8 X 9 1/2	20	2634.0
1-8 X 11	15	2665.4
1 1/8-7 X 3	35	1195.3
1 1/8-7 X 3 1/4	35	1263.0
1 1/8-7 X 3 1/2	30	1335.8
1 1/8-7 X 4	30	1476.0
1 1/8-7 X 4 1/2	25	1616.2
1 1/8-7 X 5	25	1757.5

